



Portsaid University  
Faculty of Science



Biochemistry department

**Synthesis & Reactions Of Isatin  
Derivatives & Their Biological  
Activity**

**PRESENTED BY**

**Mayada Salah Saad Mohamed El-Sehrawy**

**FOURTH LEVEL**

**SUPERVISED BY**

**DR.EL-SHRBENY HAMDY**

**2016**

## Acknowledgment

Firstly, thanks to Allah S.W.T because giving me success for my final year project.

I wish to express my gratitude to individuals who helped me with creating this .It is would have never come to light without their massive efforts and help.

I am deeply grateful to my supervisor **DR.El-sherbeny Hamdy**; lecturer of organic chemistry, faculty of education, portsaid university. I thank him for his support, advice, continous encouragement and constructive criticism in reading ,revising and preparing this research .

Also I would like to thank **DR. Ibrahim Mohy**; head of chemistry department Portsaid university for his contributions.

I would like to express my deepest thanks to all doctors and demonstrators who though me during the four year.

I would like also to thank **DR.Shams Aldin** ; dean of faculty of science for his noticeable efforts in our collage.

At last, I want to make a special thanks to my parents who encouraged me and my fiancé who supplied me with all what I need and helped me a lot.

With my best wishes

*Mayada Salah El-schrawy*

# LIST OF CONTENT

code	Content	Page no.
<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Chemical and physical properties of Isatin</b>	<b>3</b>
<b>3</b>	<b>Synthesis of Isatins and its derivatives.</b>	<b>4</b>
<b>3.1</b>	<b>The Sandmeyer methodology</b>	<b>4</b>
3.1.1	The mechanism of the Sandmeyer cyclisation reaction.	<b>5</b>
3.1.2	Problems encountered with the Sandmeyer's method	<b>6</b>
<b>3.2</b>	<b>Use of nitroacetanilides.</b>	<b>7</b>
<b>3.3</b>	<b>The Stolle procedure</b>	<b>7</b>
<b>3.4</b>	<b>The Martinet isatin synthesis</b>	<b>8</b>
<b>3.5</b>	<b>The Gassman procedure</b>	<b>9</b>
3.5.1	modified Gassman oxindole synthesis.	<b>10</b>
<b>3.6</b>	<b>Metalation of anilide derivatives</b>	<b>11</b>
3.6.1	Synthesis of 5-azaisatin	<b>11</b>
3.6.2	synthesis of isatins by lithiation of <i>ortho</i> -bromophenylureas, carbonylation and subsequent intramolecular cyclisation.	<b>12</b>
<b>3.7</b>	<b>Miscellaneous procedures</b>	<b>13</b>
3.7.1	synthesis of 4- and 6-substituted isatins.	<b>13</b>
3.7.2	synthesis of N-Aryl-benzoisatins	<b>14</b>

---

3.7.3	synthesis 1,4-Dimethylisatin.	14
3.7.4	treatment of the product obtained by the dimerisation of the Vilsmeier reagents, with an electro-philic species yielded isatins.	15
3.7.5	synthesis of isatin from 2-nitrocinnamaldehyde.	15
3.7.6	<i>A de novo</i> isatin synthesis based upon a palladium catalyzed double carbonylation of <i>ortho</i> -haloacetanilides .	16
3.7.7	synthesis of 1-(Dialkylimino) isatins from cyclohexanone.	17
3.7.8	synthesis of isatin derivatives which are synthetic precursors of pyrrolophenanthridine alkaloids.	17
3.7.9	The formation of isatins during decomposition of some natural products.	18
3.7.10	synthesis 1-Ethyl-5,6-methyl enedioxy isatin from the electrochemical reduction of cinoxacin.	19
<b>4</b>	<b>Reactions of isatin and its derivatives.</b>	<b>20</b>
<b>4.1</b>	<b>N-Acylation and N-sulfonylation.</b>	<b>20</b>
4.1.1	use of diacyl chlorides yields bis- acylisatins.	20
4.1.2	reaction of isatin and acetic anhydride in the presence of pyridine	21
4.1.3	the acetylation of indolyglyoxalates with acetic anhydride in pyridine.	21
<b>4.2</b>	<b>Reactivity of the aromatic nucleus.</b>	<b>22</b>
4.2.1	bromination of a 5-aminoisatin derivative in ethanol.	22

---

<b>4.3</b>	<b>Reduction of the heterocyclic ring.</b>	<b>23</b>
4.3.1	Synthesis of indoles.	23
4.3.1.1	synthesis of analgesic drug pemedolac and aristoteline.	23
4.3.1.2	reduction of 1-acylisatins to 1-alkylindoles by BH THF.	25
4.3.1.3	synthesis of fused indole derivatives .	26
4.3.2	Synthesis of oxindoles and dioxindoles.	26
4.3.3	Reduction involving free radicals.	28
<b>4.4</b>	<b>Oxidation of the heterocyclic ring.</b>	<b>28</b>
4.4.1	The oxidation of isatin using either hydrogen peroxide or chromic anhydride yields isatoic anhydride.	28
4.4.2	Isatoic anhydride condensed with proline to yield a pyrrolo[1,4] benzodiazepine ring	29
<b>4.5</b>	<b>Nucleophilic attack at positions C-2 or C-3</b>	<b>29</b>
4.5.1	Nucleophilic attack by Amines and related compounds	30
4.5.1.1	Nucleophilic attack by Ammonia, hydroxylamine and hydrazine	30
4.5.1.2	Nucleophilic attack by Alkylamines	32
4.5.1.2.1	Synthesis of phenylethanolamine derivatives	32
4.5.1.2.2	Synthesis dialkylammonium benzoylformates.	32
4.5.1.2.3	reaction of isatin with N,N- dimethylethylene diamine	33
4.5.1.3	Nucleophilic attack by Anilines and heterocyclic amines.	34

---

4.5.1.3.1	reaction with N,N'-thionyl-diimidazole.	35
4.5.1.3.2	reaction of Isatinyl-N-oxide anilines or with aliphatic amines yields the corresponding 2-imino derivative.	35
4.5.1.3.3	reaction of isatins with <i>ortho</i> -phenylenediamines	36
4.5.2	Oxygen, sulfur and phosphorous nucleophiles	37
4.5.2.1	The alkaline hydrolysis of isatin.	38
4.5.2.2	reaction of 1- Acetylisatin with alcohols in neutral media to furnish ring opened products.	39
4.5.2.3	The reactions of isatins and 1-alkylisatins with thiols.	39
4.5.2.4	Reaction of Isatin-3-N-arylimines with mercaptoacetic acid.	40
4.5.2.5	The reaction of isatin with P <sub>4</sub> S <sub>10</sub> in pyridine.	40
4.5.2.6	use of chlorophosphites generates 3-(3-chlorooxindolyl) phosphine oxides.	41
4.5.2.7	cyclic dioxaphospholanes, react with isatins to yield dimeric <i>spiro</i> phospholanes.	41
4.5.2.8	synthesis Cyclic indolic phosphates.	42
4.5.3	Carbon nucleophiles.	42
4.5.3.1	Potassium cyanide and ammonium carbonate react with 1-alkyl or 1-alkenylisatins generating <i>spiro</i> hydantoin.	43
4.5.3.2	Wittig-Horner reaction	43
4.5.3.3	synthesis of dimethyl 2-oxoindolin-3-	44

---

	ylidenesuccinate derivatives and 3- <i>spiro</i> - cyclopropanes	
4.5.3.4	$\alpha$ -Diazophosphorous derivatives attack at the C-3 position of the isatin ring	44
4.5.3.5	addition of methyl lithium to isatin-3,3- dimethyl- ketal (3,3-dimethoxyoxindole)	45
4.5.3.6	reduction of 3- methyleneoxindoles at the carbon-carbon double bond using Na <sub>2</sub> S <sub>2</sub> O <sub>4</sub> in aqueous ethanol	46
4.5.3.7	synthesis of ethylamine oxindole.	46
4.5.3.8	Knovenagel condensation employing 6- bromoisatin	47
4.5.3.9	The Darzens reaction of isatin with ethyl chloroacetate	49
4.5.3.10	Masked carbanions react with isatins at position 3.	50
4.5.3.11	Addition of phenylmagnesium bromide to isatin-3-acylhydrazones.	50
4.5.3.12	addition of Grignard or organo- lithium reagents to 1-(arylthio)isatins.	51
4.5.3.13	addition of 2,2-Dimethoxy-1-methylpyrrolidine to isatin furnishing an $\alpha$ -diketone through an intermediate $\alpha$ -ketoester.	51
4.5.4	Halogen nucleophiles	52
4.5.4.1	synthesis of 4-bromo-2-methylthio-indolin-3- one.	52
4.5.4.2	synthesis of dyestuffs by reaction with phenols and N,N-dimethylaniline.	53
4.5.4.3	synthesis of indoloquinazoline structurally	54

---

---

related to the alkaloid tryptanthrin.

4.5.4.4	reaction of 1-Methylisatin with diethylaminosulfur trifluoride (DAST) to furnish 1-methyl-3,3-difluorooxindol.	55
<b>5</b>	<b>Biological activity of Isatin Derivatives.</b>	<b>56</b>
<b>5.1</b>	<b>antimicrobial activity of isatin derivatives.</b>	<b>57</b>
5.1.1	activity of ISD-2 and ISD-1 compounds	57
5.1.2	Experimental	57
5.1.3	Synthesis of ISD-1	58
5.1.4	Synthesis of ISD-2	59
5.1.5	Results and Discussion	60
5.1.6	Mechanism of action	61
<b>5.2</b>	<b>cytotoxic and anticancer activities of isatin derivatives.</b>	<b>63</b>
5.2.1	General Modes of Action.	63
5.2.2	some Isatin derivative shows antitumor activity.	64
<b>5.3</b>	<b>anti-HIV activity</b>	<b>66</b>
5.3.1	Mode of action	66
5.3.2	derivatives shows anti-HIV activity	66
<b>5.4</b>	<b>CNS depressant activity</b>	<b>69</b>
<b>5.5</b>	<b>analgesic and anti-inflammatory</b>	<b>72</b>
<b>5.6</b>	<b>antianxiety activities</b>	<b>75</b>

---



## LIST OF SCHEME

code	scheme	Page no
Scheme 1	<b>Sandmeyer isatin synthesis</b>	<b>4</b>
Scheme 2.	<b>Mechanism of the Sandmeyer cyclisation of isonitrosoacetanilide to isatin , corroborated by on-line ESI-MS/MS monitoring.</b>	<b>5</b>
Scheme 3	<b>Cyclisation reactions using BMI.NTf<sub>2</sub> and HBF<sub>4</sub>.</b>	<b>6</b>
Scheme 4	<b>Pathway of (a) formation of 4-substituted-isatins, (b) formation of 6-substituted-isatins.</b>	<b>6</b>
Scheme 5	<b>Use of nitroacetanilides for isatin synthesis.</b>	<b>7</b>
Scheme 6	<b>Stolle method for isatin synthesis.</b>	<b>8</b>
Scheme 7	<b>Martinet isatin synthesis.</b>	<b>8</b>
Scheme 8	<b>Gassman method for isatin synthesis</b>	<b>10</b>
Scheme 9.	<b>modified Gassman oxindole synthesis.</b>	<b>10</b>
Scheme 10	<b>Metalation of anilide derivatives for isatin synthesis.</b>	<b>11</b>
Scheme 11	<b>Synthesis of 5-azaisatin</b>	<b>12</b>
Scheme 12.	<b>synthesis of isatins by lithiation of <i>ortho</i>-bromophenylureas, carbonylation and subsequent intramolecular cyclisation</b>	<b>12</b>
Scheme 13	<b>synthesis of 4- and 6-substituted isatins.</b>	<b>13</b>

---

Scheme 14	<b>synthesis of N-Aryl-benzoisatins</b>	<b>14</b>
Scheme 15	<b>synthesis 1,4-Dimethylisatin.</b>	<b>14</b>
Scheme 16	<b>the treatment of the product obtained by the dimerisation of the Vilsmeier reagents, with an electro- philic species yielded isatins.</b>	<b>15</b>
Scheme 17	<b>synthesis of isatin from 2-nitrocinnamaldehyde</b>	<b>15</b>
Scheme 18	<b>A <i>de novo</i> isatin synthesis based upon a palladium catalyzed double carbonylation of <i>ortho</i>-haloacetanilides in the presence of Et<sub>2</sub>NH.</b>	<b>16</b>
Scheme 19	<b>synthesis of 1-(Dialkylimino) isatins from cyclohexanone .</b>	<b>17</b>
Scheme 20	<b>the hydroindolone intermediates were prepared by [1+4] cycloaddition of vinyl isocyanates.</b>	<b>17</b>
Scheme 21	<b>dienamides hydrolyzed and oxidized by DDQ to yield isatin derivatives which are synthetic precursors of pyrrolophenanthridine alkaloids</b>	<b>18</b>
Scheme 22	<b>epoxidation of rutacridone led to <i>N</i>- methylisatin</b>	<b>18</b>
Scheme 23	<b>1-Ethyl-5,6-methyl enedioxy isatin is obtained in the electrochemical reduction of cinoxacin.</b>	<b>19</b>
Scheme 24	<b>use of diacyl chlorides yields bis- acylisatins.</b>	<b>20</b>
Scheme 25	<b>reaction of isatin and acetic anhydride in the presence of pyridine.</b>	<b>21</b>
Scheme 26	<b>acetylation of indolyglyoxalates with acetic anhydride in pyridine.</b>	<b>21</b>
Scheme 27	<b>bromination of a 5-aminoisatin derivative in ethanol.</b>	<b>22</b>
Scheme 28	<b>The reduction of isatins with lithium aluminum hydride in pyridine.</b>	<b>23</b>

---

Scheme 29	<b>synthesis of the analgesic drug pemedolac</b>	<b>24</b>
Scheme 30	<b>synthesis of aristoteline.</b>	<b>24</b>
Scheme 31	<b>reduction of 1-acylisatins to 1-alkylindoles by BH<sub>3</sub>.THF.</b>	<b>25</b>
Scheme 32	<b>synthesis of fused indole derivatives</b>	<b>26</b>
Scheme 33	<b>Synthesis of oxindoles and dioxindoles.</b>	<b>27</b>
Scheme 34	<b>Isatin and 1-methylisatin reduced by merostabilized free radicals.</b>	<b>28</b>
Scheme 35	<b>The oxidation of isatin using chromic anhydride.</b>	<b>28</b>
Scheme 36	<b>Isatoic anhydride condensed with proline to yield a pyrrolo[1,4] benzodiazepine ring.</b>	<b>29</b>
Scheme 37	<b>Nucleophilic attack by Ammonia.</b>	<b>30</b>
Scheme 38.	<b>benzoylformamides react with a second equivalent of ammonia to produce quinazoline derivatives .</b>	<b>31</b>
Scheme 39.	<b>Synthesis of phenylethanolamine derivatives.</b>	<b>32</b>
Scheme 40.	<b>Synthesis dialkylammonium benzoylformates.</b>	<b>33</b>
Scheme 41.	<b>reaction of isatin with N,N-dimethylethylenediamine</b>	<b>34</b>
Scheme 42.	<b>reaction of isatin with N,N'-thionylidiimidazole.</b>	<b>35</b>
Scheme 43.	<b>reaction of Isatiny-N-oxide with anilines yields the corresponding 2-imino derivative.</b>	<b>35</b>
Scheme 44.	<b>reaction of isatins with <i>ortho</i>-phenylenediamine</b>	<b>36</b>
Scheme 45.	<b>The pH profile for the hydrolysis of isatin</b>	<b>37</b>
Scheme 46.	<b>The alkaline hydrolysis of isatin.</b>	<b>38</b>
Scheme 47	<b>. reaction of 1- Acetylisatin with alcohols in</b>	<b>39</b>

	<b>neutral media to furnish ring opened products.</b>	
Scheme 48.	<b>The reactions of isatins and 1-alkylisatins with thiols.</b>	<b>39</b>
Scheme 49.	<b>Reaction of Isatin-3-<i>N</i>-arylimines with mercaptoacetic acid.</b>	<b>40</b>
Scheme 50.	<b>The reaction of isatin with P<sub>4</sub>S<sub>10</sub> in pyridine.</b>	<b>40</b>
Scheme 51.	<b>synthesis of dioxindolo- phosphonates and 3-(3-chlorooxindolyl) phosphine oxides</b>	<b>41</b>
Scheme 52.	<b>reaction of cyclic dioxaphospholanes, with isatins yield dimeric <i>spiro</i> phospholanes.</b>	<b>41</b>
Scheme 53.	<b>synthesis Cyclic indolic phosphates.</b>	<b>42</b>
Scheme 54.	<b>reaction of Potassium cyanide and ammonium carbonate with 1-alkyl or 1-alkenylisatins generating <i>spiro</i>hydantoins</b>	<b>43</b>
Scheme 55.	<b>Wittig-Horner reaction</b>	<b>43</b>
Scheme 56.	<b>synthesis of dimethyl 2-oxoindolin-3-ylidenesuccinate derivatives and 3-<i>spiro</i>-cyclopropanes</b>	<b>44</b>
Scheme 57.	<b><math>\alpha</math>-Diazophosphorous derivatives attack at the C-3 position of the isatin ring.</b>	<b>45</b>
Scheme 58.	<b>addition of methyl lithium to isatin-3,3-dimethyl-ketal (3,3-dimethoxyoxindole)</b>	<b>45</b>
Scheme 59.	<b>reduction of 3- methyleneoxindoles at the carbon-carbon double bond using Na<sub>2</sub>S<sub>2</sub>O<sub>4</sub> in aqueous ethanol</b>	<b>46</b>
Scheme 60.	<b>synthesis of ethylamine oxindole</b>	<b>46</b>
Scheme 61.	<b>Knovenagel condensation employing 6-bromoisatin</b>	<b>47</b>

Scheme 62.	<b>3-[cyano(ethoxy- carbonyl)methylene]-2-oxindoles, obtained from the reaction of 1-methylisatin with ethyl cyanoacetate.</b>	<b>48</b>
Scheme 63	<b>. The Darzens reaction of isatin with ethyl chloroacetate</b>	<b>49</b>
Scheme 64.	<b>Masked carbanions react with isatins at position 3.</b>	<b>50</b>
Scheme 65.	<b>reaction of phenylmagnesium bromide with isatin-3-acylhydrazones.</b>	<b>50</b>
Scheme 66.	<b>reaction of Grignard or organo- lithium reagents with 1-(arythio)isatins.</b>	<b>51</b>
Scheme 67.	<b>Mechanism of reaction of 2,2-Dimethoxy-1-methylpyrrolidine with isatin furnishing an <math>\alpha</math>-diketone through an intermediate <math>\alpha</math>-ketoester.</b>	<b>52</b>
Scheme 68.	<b>synthesis of 4-bromo-2-methylthio-indolin-3-one.</b>	<b>53</b>
Scheme 69.	<b>synthesis of dyestuffs by reaction with phenols and N,N-dimethylaniline.</b>	<b>53</b>
Scheme70.	<b>synthesis of indoloquinazoline structurally related to the alkaloid tryptanthrin.</b>	<b>54</b>
Scheme 71.	<b>reaction of 1-Methylisatin with diethylaminosulfur trifluoride (DAST) to furnish 1-methyl-3,3-difluorooxindol</b>	<b>55</b>
Scheme 72.	<b>Synthesis of ISD-1</b>	<b>58</b>
Scheme 73.	<b>Synthesis of ISD-2</b>	<b>59</b>

## LIST OF FIGURES

<b>code</b>	<b>Figure</b>	<b>Page no.</b>
<b>Fig:1</b>	<b>Structure of isatin</b>	<b>1</b>
<b>Fig:2</b>	<b>6-(3'-methylbuten-2'-yl)</b>	<b>2</b>
<b>Fig:3</b>	<b>initiation complex for protein synthesis in bacterial cell</b>	<b>61</b>
<b>Fig:4</b>	<b>paper disc diffusion method- zone of inhibition at different concentrations (mm)</b>	<b>61</b>
<b>Fig:5</b>	<b>A cytotoxicity structure-activity summary for isatin derivatives</b>	<b>64</b>
<b>Fig:6</b>	<b>Bis-Isatin Thiocarbohydrazone Metal Complexes</b>	<b>65</b>
<b>Fig:7</b>	<b>Bis-diisatin derivatives</b>	<b>65</b>
<b>Fig:8</b>	<b>3-o-Nitrophenyl hydrazones of isatin</b>	<b>65</b>
<b>Fig:9</b>	<b>5-(2-Oxo-3-indolinyldine) thiazolidine-2,4- dione</b>	<b>66</b>
<b>Fig:10.</b>	<b>Thiosemicarbazide of isatin</b>	<b>67</b>
<b>Fig:11</b>	<b>Schiff bases of isatin with sulfodoxine</b>	<b>67</b>
<b>Fig:12</b>	<b>Isatin thiosemicarbazone derivatives</b>	<b>68</b>
<b>Fig:13</b>	<b>N-(4,6-dimethyl-2pyrimidiny)benzene sulphonamides</b>	<b>68</b>
<b>Fig:14</b>	<b>Semicarbazone isatin derivatives</b>	<b>69</b>
<b>Fig:15</b>	<b>Shiff bases of isatin derivatives</b>	<b>69</b>

<b>Fig:16</b>	<b>Thiosemicarbazole isatin derivatives</b>	<b>70</b>
<b>Fig:17</b>	<b>Pyrazolinyl/isoxazolinyl indol-2-ones derivatives</b>	<b>70</b>
<b>Fig:18</b>	<b>Heterocyclic derivatives of isatin</b>	<b>71</b>
<b>Fig:19</b>	<b>Hydrazone-2-indolinones</b>	<b>71</b>
<b>Fig:20</b>	<b>Isatin-based spiroazetidinones</b>	<b>71</b>
<b>Fig:21</b>	<b>Phenylimino Schiff bases of isatin</b>	<b>72</b>
<b>Fig:22</b>	<b>Isatin schiff bases</b>	<b>72</b>
<b>Fig:23</b>	<b>Thiosemicarbazino isatin</b>	<b>73</b>
<b>Fig:24</b>	<b>Isatin-3-p-chlorophenylimine</b>	<b>73</b>
<b>Fig:25</b>	<b>Azetidinone derivatives of isatin</b>	<b>73</b>
<b>Fig:26</b>	<b>5-Substituted Isatin derivatives</b>	<b>74</b>
<b>Fig:27</b>	<b>2-aminobenzimidazole derivatives</b>	<b>74</b>
<b>Fig:28</b>	<b>Schiff bases of isatin</b>	<b>75</b>
<b>Fig:29</b>	<b>5-Hydroxy isatin</b>	<b>75</b>

## LIST OF TABLES

<b>code</b>	<b>table</b>	<b>Page no.</b>
<b>Table 1</b>	<b>Antibacterial and antifungal activities of ISD-1 and ISD-2</b>	<b>62</b>